

Land Capability and Yields per Acre of Crops and Pasture

(Yields in the "N" columns are for nonirrigated areas; those in the "I" columns are for irrigated areas. Yields are those that can be expected under a high level of management. Absence of a yield indicates that the soil is not suited to the crop or the crop generally is not grown on the soil.)

Map symbol and soil name	Land capability		Common bermudagrass		Guinea grass		Merkergrass		Pangolagrass		Paragrass	
	N	I	N	I	N	I	N	I	N	I	N	I
					AUM	AUM	Tons	Tons	AUM	AUM	AUM	AUM
AaC2: Aceitunas-----	3e	---	---	---	---	---	17.00	---	20.00	---	---	---
AbC2: Aceitunas-----	3e	---	---	---	---	---	17.00	---	20.00	---	---	---
AcD: Aguilita-----	6e	---	---	---	4.00	---	---	---	---	---	---	---
AcE: Aguilita-----	7e	---	---	---	2.00	---	---	---	---	---	---	---
AdE2: Aibonito-----	6e	---	---	---	---	---	8.00	---	21.00	---	---	---
An: Alluvial Land-----	8w	---	---	---	---	---	---	---	---	---	---	---
AoD: Anones-----	4e	---	---	---	19.00	---	---	---	17.00	---	---	---
AoE2: Anones-----	6e	---	---	---	18.00	---	---	---	17.00	---	---	---
AoF2: Anones-----	7e	---	---	---	16.00	---	---	---	15.00	---	---	---
Ba: Bajura-----	3w	---	---	---	---	---	15.00	---	---	---	17.00	---

Land Capability and Yields per Acre of Crops and Pasture—Continued

Map symbol and soil name	Land capability		Common bermudagrass		Guinea grass		Merkergrass		Pangolagrass		Paragrass	
	N	I	N	I	N	I	N	I	N	I	N	I
BcB:					AUM	AUM	Tons	Tons	AUM	AUM	AUM	AUM
Bejucos-----	2e	---	---	---	22.00	---	---	---	20.00	---	---	---
BeB:												
Bejucos-----	3s	---	---	---	22.00	---	---	---	20.00	---	---	---
CaC:												
Cabo Rojo-----	3e	---	---	---	15.00	---	---	---	13.00	---	---	---
CaC2:												
Cabo Rojo-----	3e	---	---	---	15.00	---	---	---	13.00	---	---	---
CbF2:												
Caguabo-----	7s	---	---	---	8.00	---	---	---	---	---	---	---
CcB:												
Camaguey-----	2w	---	---	---	---	---	---	---	15.00	---	17.00	---
Cd:												
Catano-----	6s	---	---	---	12.00	---	12.00	---	10.00	---	---	---
Ce:												
Catano-----	4s	---	---	---	---	---	14.00	---	10.00	---	---	---
CfC2:												
Cidral-----	3e	---	---	---	24.00	---	12.00	---	20.00	---	17.00	---
Ch:												
Coastal Beach-----	8w	---	---	---	---	---	---	---	---	---	---	---
ClD:												
Colinas-----	4e	---	---	---	10.00	---	13.00	---	17.00	---	---	---
ClE:												
Colinas-----	6e	---	---	---	10.00	---	---	---	17.00	---	---	---

Land Capability and Yields per Acre of Crops and Pasture—Continued

Map symbol and soil name	Land capability		Common bermudagrass		Guinea grass		Merkergrass		Pangolagrass		Paragrass	
	N	I	N	I	N	I	N	I	N	I	N	I
					AUM	AUM	Tons	Tons	AUM	AUM	AUM	AUM
ClF2: Colinas-----	7e	---	---	---	---	---	---	---	12.00	---	---	---
CmD: Colinas-----	4e	---	---	---	10.00	---	---	---	17.00	---	---	---
CmE: Colinas-----	7e	---	---	---	10.00	---	---	---	12.00	---	---	---
Cn: Coloso-----	2w	---	---	---	---	---	18.00	---	---	---	---	---
CoE: Consumo-----	6e	---	---	---	---	---	---	---	17.00	---	---	---
CoF2: Consumo-----	7e	---	---	---	---	---	---	---	14.00	---	---	---
Cr: Corcega-----	2w	---	---	---	---	---	---	---	20.00	---	17.00	---
CtB2: Cotito-----	3e	---	---	---	---	---	---	---	24.00	---	---	---
CuB2: Coto-----	2e	---	---	---	---	---	---	---	24.00	---	---	---
CuC2: Coto-----	3e	---	---	---	---	---	---	---	24.00	---	---	---
CvB: Coto-----	2e	---	---	---	---	---	---	---	24.00	---	---	---
CwF: Cuchillas-----	7e	---	---	---	19.00	---	---	---	12.00	---	---	---

Land Capability and Yields per Acre of Crops and Pasture—Continued

Map symbol and soil name	Land capability		Common bermudagrass		Guinea grass		Merkergrass		Pangolagrass		Paragrass	
	N	I	N	I	N	I	N	I	N	I	N	I
DaD2:					AUM	AUM	Tons	Tons	AUM	AUM	AUM	AUM
Daguey-----	3e	---	---	---	---	---	15.00	---	24.00	---	---	---
DaE2:												
Daguey-----	4e	---	---	---	---	---	---	---	---	---	---	---
DcD2:												
Delicias-----	3e	---	---	---	10.00	---	---	---	9.00	---	---	---
DeC:												
Descalabrado-----	4s	---	---	---	6.00	---	---	---	---	---	---	---
DeD:												
Descalabrado-----	6s	---	---	---	6.00	---	---	---	---	---	---	---
DeF:												
Descalabrado-----	7s	---	---	---	4.00	---	---	---	---	---	---	---
Du:												
Dique-----	1	---	---	---	---	---	60.00	---	24.00	---	---	---
Es:												
Espinal-----	6s	---	---	---	12.00	---	---	---	10.00	---	---	---
GnC:												
Guanajibo-----	4e	---	---	---	24.00	---	---	---	20.00	---	---	---
GoC:												
Guanajibo-----	4e	---	---	---	24.00	---	---	---	20.00	---	---	---
GPQ:												
Gravel, Pits And Quarries-----	---	---	---	---	---	---	---	---	---	---	---	---
GuB:												
Guerrero-----	6s	---	---	---	---	---	---	---	10.00	---	---	---

Land Capability and Yields per Acre of Crops and Pasture—Continued

[illegible]

Land Capability and Yields per Acre of Crops and Pasture—Continued

Map symbol and soil name	Land capability		Common bermudagrass		Guinea grass		Merkergrass		Pangolagrass		Paragrass	
	N	I	N	I	N	I	N	I	N	I	N	I
Le:					AUM	AUM	Tons	Tons	AUM	AUM	AUM	AUM
Leveled Clayey Land	---	---	---	---	---	---	---	---	---	---	---	---
Lf:												
Leveled Land-----	---	---	---	---	---	---	---	---	---	---	---	---
LFD:												
Landfill-----	---	---	---	---	---	---	---	---	---	---	---	---
Lm:												
Leveled Sandy Land-	---	---	---	---	---	---	---	---	---	---	---	---
Lo:												
Limestone Outcrop--	8s	---	---	---	---	---	---	---	---	---	---	---
Lr:												
Limestone Rock Land	8s	---	---	---	---	---	---	---	---	---	---	---
LuD2:												
Los Guineos-----	4e	---	---	---	20.00	---	15.00	---	18.00	---	---	---
LuF2:												
Los Guineos-----	7e	---	---	---	---	---	---	---	16.00	---	---	---
MaB:												
Mabi-----	2e	---	---	---	24.00	---	12.00	---	20.00	---	---	---
MaC2:												
Mabi-----	3e	---	---	---	20.00	---	10.00	---	18.00	---	---	---
McF2:												
Malaya-----	7s	---	---	---	14.00	---	---	---	13.00	---	---	---
MdB:												
Maleza-----	2s	---	---	---	24.00	---	---	---	20.00	---	---	---

Land Capability and Yields per Acre of Crops and Pasture—Continued

Map symbol and soil name	Land capability		Common bermudagrass		Guinea grass		Merkergrass		Pangolagrass		Paragrass	
	N	I	N	I	N	I	N	I	N	I	N	I
Mh:					AUM	AUM	Tons	Tons	AUM	AUM	AUM	AUM
Mani-----	2w	---	---	---	---	---	---	---	20.00	---	17.00	---
Mn:												
Mani-----	2w	---	---	---	---	---	---	---	20.00	---	17.00	---
MoD2:												
Maresua-----	4e	---	---	---	18.00	---	---	---	14.00	---	---	---
MoF2:												
Maresua-----	7e	---	---	---	17.00	---	---	---	10.00	---	---	---
MpD2:												
Mariana-----	6e	---	---	---	5.00	---	---	---	---	---	---	---
MpE2:												
Mariana-----	7e	---	---	---	4.00	---	---	---	---	---	---	---
MrF2:												
Maricao-----	7e	---	---	---	---	---	---	---	17.00	---	---	---
MsB:												
Matanzas-----	2e	---	---	---	---	---	15.00	---	20.00	---	---	---
MtB:												
Matanzas-----	2e	---	---	---	---	---	15.00	---	20.00	---	---	---
Limestone Rockland-	8s	---	---	---	---	---	---	---	---	---	---	---
MuC2:												
Moca-----	3e	---	---	---	14.00	---	10.00	---	13.00	---	---	---
MuD2:												
Moca-----	4e	---	---	---	14.00	---	8.00	---	13.00	---	---	---

Land Capability and Yields per Acre of Crops and Pasture—Continued

Map symbol and soil name	Land capability		Common bermudagrass		Guinea grass		Merkergrass		Pangolagrass		Paragrass	
	N	I	N	I	N	I	N	I	N	I	N	I
					AUM	AUM	Tons	Tons	AUM	AUM	AUM	AUM
MuD3: Moca-----	6e	---	---	---	12.00	---	8.00	---	12.00	---	---	---
MuE3: Moca-----	6e	---	---	---	12.00	---	---	---	12.00	---	---	---
MvC: Montegrande-----	3e	---	---	---	---	---	---	---	---	---	---	---
MwD2: Morado-----	4e	---	---	---	19.00	---	---	---	6.00	---	---	---
MwE2: Morado-----	6e	---	---	---	19.00	---	---	---	12.00	---	---	---
MwF2: Morado-----	7e	---	---	---	---	---	---	---	12.00	---	---	---
MxC: Mucara-----	3e	---	---	---	---	---	---	---	17.00	---	---	---
MxD2: Mucara-----	4e	---	---	---	---	---	---	---	17.00	---	---	---
MxE2: Mucara-----	6e	---	---	---	---	---	---	---	17.00	---	---	---
MxF2: Mucara-----	7e	---	---	---	---	---	---	---	17.00	---	---	---
NaD: Naranjo-----	3e	---	---	---	12.00	---	15.00	---	12.00	---	---	---
NcD2: Nipe-----	4s	---	---	---	10.00	---	12.00	---	8.00	---	---	---

Land Capability and Yields per Acre of Crops and Pasture—Continued

[illegible]

Land Capability and Yields per Acre of Crops and Pasture—Continued

[illegible]

Land Capability and Yields per Acre of Crops and Pasture—Continued

Map symbol and soil name	Land capability		Common bermudagrass		Guinea grass		Merkergrass		Pangolagrass		Paragrass	
	N	I	N	I	N	I	N	I	N	I	N	I
SrD:					AUM	AUM	Tons	Tons	AUM	AUM	AUM	AUM
Soller-----	6e	---	---	---	12.00	---	10.00	---	12.00	---	---	---
Limestone Rockland-	8s	---	---	---	---	---	---	---	---	---	---	---
SrE:												
Soller-----	7e	---	---	---	---	---	---	---	12.00	---	---	---
Limestone Rockland-	8s	---	---	---	---	---	---	---	---	---	---	---
SsD2:												
Soller-----	6e	---	---	---	12.00	---	10.00	---	12.00	---	---	---
SsE2:												
Soller-----	7e	---	---	---	---	---	---	---	12.00	---	---	---
StB:												
Soller-----	3e	---	---	---	12.00	---	13.00	---	12.00	---	---	---
StC:												
Soller-----	4e	---	---	---	12.00	---	13.00	---	12.00	---	---	---
StD:												
Soller-----	6e	---	---	---	12.00	---	10.00	---	12.00	---	---	---
StE:												
Soller-----	7e	---	---	---	---	---	---	---	12.00	---	---	---
Ta:												
Talante-----	3w	---	---	---	---	---	---	---	20.00	---	17.00	---
TcB2:												
Tanama-----	3s	---	---	---	12.00	---	15.00	---	12.00	---	---	---
TcC2:												
Tanama-----	4s	---	---	---	12.00	---	13.00	---	12.00	---	---	---

Land Capability and Yields per Acre of Crops and Pasture—Continued

[illegible]